

# PRODUCT CATALOG

FAN LIGHT COLLECTION



## **COMPANY INTRODUCTION**

Guangdong Hongshuo Lighting Technology Co., Ltd. is located in Henglan Town, Zhongshan City, with a factory area of 20,000 square meters and over 300 employees. Integrating research and development, production, sales, and design, the company boasts high-quality talent, advanced production equipment, and a comprehensive management system. Its sales have been growing rapidly at a rate of over 30% annually.


# Production

## Workshop Scene



HOSO

FAN ASSEMBLY



FAN ASSEMBLY

HOSO



HOSO

AGING TEST

MOTOR TESTING

HOSO



HOSO

PACKAGING

# Business Qualification

























## Corporate Honors




# Technical Data

## ■ Data Analysis Services

### Icon data reference

 Body material	 Speeds	 Forward and reverse	 Wide angle air supply	 RGB
 360 degree air supply	 Timing	 Maximum inclination 13°	 Ceiling installation	 Easy to install
 Retractable blades	 Integrated LED	 Tricolor light	 Night mode	 Memory function
 Application area	 Fan diameter	 Lighting	 Motor	 Revolutions per minute
 Decibels	 Remote control	 Natural wood	 Bluetooth	

# INDEX



HSF-183ZX52C05  
P7



HSF-184ZD52C05  
P8



HSF-071ZD52C05  
P9



HSF-055ZD52C05  
P10



HSF-042ZD52C05  
P11



HSF-039ZD52C05  
P12



HSF-050ZD42C05  
P13



xique-吸顶  
P14



HSF-160ZD52C05  
P15



HSF-038ZD52C05  
P16



HSF-035AD52C03  
P17



HSF-057AD48C03  
P18



HSF-058AD48C03  
P19



HSF-051AD70C03  
P20



HSF-073AD70C03  
P21



HSF-060AD52C03  
P22



HSF-032ZD52C04  
P23



HSF-022ZD52C05  
P24




HSF-034ZD52C03  
P25



HSF-066ZX52C05  
P26



HSF-033ZD52C03  
P27



HSF-018LD100C06  
P28



HSF-068ZD62C07  
P29



HSF-069ZD62C07  
P30



HSF-036ZD72C08  
P31



HSF-078ZD72C08  
P32



HSF-072ZD72C08  
P33



HSF-065AD52C03  
P34



HSF-128AD52C03  
P35



HSF-151AD46C03  
P36



HSF-112ZD72C08  
P37



HSF-186AD52C03  
P38



HSF-135AD52C03  
P39













HSF-179ZD60C06  
P40






HSF-178ZD72C08  
P41

# Model:HSF-183ZX52C05











-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
13°  
Maximum  
inclination
-   
2h 4h  
Timing
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light
-   
Memory  
function
-   
Remote  
control



-  24W
-   
Wood
-   
Hardware
-   
Acrylic
-   
52inches





Speeds		1	2	3	4	5	6
Revolutions per minute		120	130	140	150	160	170
Volume		33	34	37	40	43	47
Motor Power		10	13	16	20	24	31

# Model:HSF-184ZD52C05











-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum  
inclination  
13°
-   
Timing  
2h 4h
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light  
W N C
-   
Memory  
function
-   
Remote  
control






-  **24W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
52inches





Speeds		1	2	3	4	5	6
Revolutions per minute		120	130	140	150	160	170
Volume		33	34	37	40	43	47
Motor Power		10	13	16	20	24	31

# Model:HSF-071ZD52C05

-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum  
inclination  
13°
-   
Timing  
2h 4h
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light  
W N C
-   
Memory  
function
-   
Remote  
control



-  **24W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**52inches**

Speeds		1	2	3	4	5	6
Revolutions per minute		110	120	130	140	150	168
Volume		33	34	37	40	43	47
Motor Power		7.5	9.7	12	15.6	19.9	30.7

# Model:HSF-055ZD52C05

- Application areaMotor
- Speeds  
1 2 3 4 5 6
- Maximum inclination  
13°
- Timing  
2h | 4h
- Night mode
- Wide angle air supply
- Forward and reverse
- Tricolor light
- Memory function
- Remote control



**Nickel sand (42inches / 52inches)**  
Brushed Nickel Housing  
Reversible Blades:Charcoal/Light OAK













**Sand black (42inches / 52inches)**  
Brushed Nickel Housing  
Reversible Blades:Charcoal/Light OAK




- 18W**
- Wood
- Hardware
- Acrylic
- 52inches**





Speeds		1	2	3	4	5	6
Revolutions per minute		99	109	120	130	145	159
Volume		33	34	37	40	43	47
Motor Power		7.7	10.1	12.7	16.8	23.8	30.8

# Model:HSF-042ZD52C05











-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum  
inclination  
13°
-   
Timing  
2h | 4h
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light  
W N C
-   
Memory  
function
-   
Remote  
control





-  **18W**
-   
Wood
-   
Hardware
-   
Acrylic
-  **52inches**





Speeds		1	2	3	4	5	6
Revolutions per minute		110	120	130	140	150	165
Volume		33	34	37	40	43	47
Motor Power		7.5	10	12.9	16	21	29

# Model:HSF-039ZD52C05

-   
Application area  
Motor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum inclination  
13°
-   
Timing  
2h | 4h
-   
Night mode
-   
Wide angle air supply
-   
Forward and reverse
-   
Tricolor light  
W | N | C
-   
Memory function
-   
Remote control




-  **18W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**52inches**

Speeds		1	2	3	4	5	6
Revolutions per minute		90	100	110	121	130	140
Volume		33	34	37	40	43	47
Motor Power		11.6	15.5	21	27.1	35.5	44.5

# Model:HSF-050ZD42C05











- Application area  
Motor
- Speeds  
1 2 3 4 5 6
- 13°  
Maximum inclination
- 2h | 4h  
Timing
- Night mode
- Wide angle air supply
- Forward and reverse
- Tricolor light
- Memory function
- Remote control



- 18W
- Wood
- Hardware
- Acrylic
- 42inches





Speeds		1	2	3	4	5	6
Revolutions per minute		155	171	184	201	217	233
Volume		33	34	37	40	43	47
Motor Power		8.5	11.6	14	17.5	21.8	27.6

# Model:xique 吸顶











-   
 Application areaMotor
-   
 Speeds 1 2 3 4 5 6
-   
 Maximum inclination 13°
-   
 Timing 2h 4h
-   
 Night mode
-   
 Wide angle air supply
-   
 Forward and reverse
-   
 Tricolor light
-   
 Memory function
-   
 Remote control



-  24W
-   
 Wood
-   
 Hardware
-   
 Acrylic
-   
 52inches





Speeds		1	2	3	4	5	6
Revolutions per minute		110	119	129	142	154	170
Volume		33	34	37	40	43	47
Motor Power		8.9	12.2	15	20.6	26.4	30

# Model:HSF-160ZD52C05











-   
Application areaMotor
-   
Speeds 1 2 3 4 5 6
-   
Maximum inclination 13°
-   
Timing 2h 4h
-   
Night mode
-   
Wide angle air supply
-   
Forward and reverse
-   
Tricolor light W N C
-   
Memory function
-   
Remote control



-  24W
-   
Wood
-   
Hardware
-   
Acrylic
-   
52 inches




		1	2	3	4	5	6
Speeds							
Revolutions per minute		110	119	129	142	154	170
Volume		33	34	37	40	43	47
Motor Power		8.9	12.2	15	20.6	26.4	30

# Model:HSF-038ZD52C05











-   
Application areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum inclination  
13°
-   
Timing  
2h | 4h
-   
Night mode
-   
Wide angle air supply
-   
Forward and reverse
-   
Tricolor light  
W | N | C
-   
Memory function
-   
Remote control



-  **24W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**52 inches**





Speeds		1	2	3	4	5	6
Revolutions per minute		120	130	140	150	160	170
Volume		33	34	37	40	43	47
Motor Power		10	13	16	20	24	31

# Model:HSF-035AD52C03

-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum  
inclination  
13°
-   
Timing  
2h | 4h
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light
-   
Memory  
function
-   
Remote  
control




-  **18W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**52inches**

Speeds		1	2	3	4	5	6
Revolutions per minute		100	118	135	152	167	177
Volume		33	34	37	40	43	47
Motor Power		5.6	8.7	12.4	18.4	24.3	30.2

# Model:HSF-057AD48C03











- Application area  
Motor
- Speeds  
1 2 3 4 5 6
- Maximum inclination  
13°
- Timing  
2h 4h
- Night mode
- Wide angle air supply
- Forward and reverse
- Tricolor light
- Memory function
- Remote control







- 18W
- Wood
- Hardware
- Acrylic
- 48inches





Speeds		1	2	3	4	5	6
Revolutions per minute		104	110	119	124	134	146
Volume		33	34	37	40	43	47
Motor Power		7.7	9.8	12.2	15.7	19.6	27.5

# Model:HSF-058AD48C03











-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum  
inclination  
13°
-   
Timing  
2h | 4h
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light  
W | N | C
-   
Memory  
function
-   
Remote  
control







-  **18W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**48inches**





Speeds		1	2	3	4	5	6
Revolutions per minute		107	111	119	130	144	153
Volume		33	34	37	40	43	47
Motor Power		7.1	9.1	11.4	13.8	19.6	26.7

# Model:HSF-051AD70C03











-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum  
inclination  
13°
-   
Timing  
2h | 4h
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light  
W N C
-   
Memory  
function
-   
Remote  
control




-   
Wood
-   
Hardware
-   
Acrylic
-   
70inches





Speeds		1	2	3	4	5	6
Revolutions per minute		80	90	100	110	120	130
Volume		33	34	37	40	43	47
Motor Power		10	14.6	19.8	27.1	35.9	47.5

# Model:HSF-073AD70C03

-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
13°  
Maximum  
inclination
-   
2h | 4h  
Timing
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
W | N | C  
Tricolor light
-   
Memory  
function
-   
Remote  
control




-  **18W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**70inches**

Speeds		1	2	3	4	5	6
Revolutions per minute		80	90	100	110	120	130
Volume		33	34	37	40	43	47
Motor Power		10	14.6	19.8	27.1	35.9	47.5

# Model:HSF-060AD52C03

- Application areaMotor
- Speeds  
1 2 3 4 5 6
- 13°  
Maximum inclination
- 2h | 4h  
Timing
- Night mode
- Wide angle air supply
- Forward and reverse
- Tricolor light
- Memory function
- Remote control



- 18W
- Wood
- Hardware
- Acrylic
- 52inches

Speeds		1	2	3	4	5	6
Revolutions per minute		60	70	79	89	99	120
Volume		33	34	37	40	43	47
Motor Power		3.4	4.7	6.8	9.8	13.7	25.4

# Model:HSF-032ZD52C04











- Application area  
Motor
- Speeds  
1 2 3 4 5 6
- Maximum inclination  
13°
- Timing  
2h | 4h
- Night mode
- Wide angle air supply
- Forward and reverse
- Tricolor light
- Memory function
- Remote control



- 18W
- Wood
- Hardware
- Acrylic
- 52inches





Speeds		1	2	3	4	5	6
Revolutions per minute		93	107	127	141	160	173
Volume		33	34	37	40	43	47
Motor Power		5.2	7.2	11.1	15	20.9	26.7

# Model:HSF-022ZD52C05











-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum  
inclination  
13°
-   
Timing  
2h 4h
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light  
W N C
-   
Memory  
function
-   
Remote  
control




-  **18W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**52inches**





Speeds		1	2	3	4	5	6
Revolutions per minute		110	120	130	140	150	165
Volume		33	34	37	40	43	47
Motor Power		7.5	10	12.9	16	21	29

# Model:HSF-034ZD52C03











-   
Application area  
Motor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum inclination  
13°
-   
Timing  
2h | 4h
-   
Night mode
-   
Wide angle air supply
-   
Forward and reverse
-   
Tricolor light  
W N C
-   
Memory function
-   
Remote control




-  **18W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**52inches**





Speeds		1	2	3	4	5	6
Revolutions per minute		110	125	150	163	177	203
Volume		33	34	37	40	43	47
Motor Power		5.3	7.2	12.2	15.5	20.1	30

# Model:HSF-066ZX52C05

-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum  
inclination  
13°
-   
Timing  
2h | 4h
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light
-   
Memory  
function
-   
Remote  
control




-  **18W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**52inches**

Speeds		1	2	3	4	5	6
Revolutions per minute		117	133	145	165	178	198
Volume		33	34	37	40	43	47
Motor Power		5.5	7.3	9.9	13.2	17.3	24.6

# Model:HSF-033ZD52C03











- Application areaMotor
- Speeds  
1 2 3 4 5 6
- 13°  
Maximum inclination
- 2h 4h  
Timing
- Night mode
- Wide angle air supply
- Forward and reverse
- Tricolor light
- Memory function
- Remote control





- 18W
- Wood
- Hardware
- Acrylic
- 52inches





Speeds		1	2	3	4	5	6
Revolutions per minute		80	90	109	115	126	145
Volume		33	34	37	40	43	47
Motor Power		5.2	7.2	9.1	15	19.9	29.7

# Model:HSF-018LD100C06

-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum  
inclination  
13°
-   
Timing  
2h 4h
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light  
W N C
-   
Memory  
function
-   
Remote  
control



-  **24W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**100inches**

		1	2	3	4	5	6
Speeds							
Revolutions per minute		32	40	49	59	64	69
Volume		33	34	37	40	43	47
Motor Power		5.6	9.4	17.7	33.1	45.1	62.2

# Model:HSF-068ZD62C07

- Application area  
Motor
- Speeds  
1 2 3 4 5 6
- Maximum inclination  
13°
- Timing  
2h | 4h
- Night mode
- Wide angle air supply
- Forward and reverse
- Tricolor light  
W N C
- Memory function
- Remote control



Oil tung color (62inches / 52inches)

Brushed Nickel Housing  
Reversible Blades:Charcoal/Light OAK



Nickel sand (62inches / 52inches)

Brushed Nickel Housing  
Reversible Blades:Charcoal/Light OAK





Detail drawing

- 24W
- Wood
- Hardware
- Acrylic
- 62inches

Speeds		1	2	3	4	5	6
Revolutions per minute		94	101	110	120	130	135
Volume		33	34	37	40	43	47
Motor Power		11.4	14.7	19.1	24.5	30.4	33

# Model:HSF-069ZD62C07

- Application area  
Motor
- Speeds  
1 2 3 4 5 6
- Maximum inclination  
13°
- Timing  
2h | 4h
- Night mode
- Wide angle air supply
- Forward and reverse
- Tricolor light
- Memory function
- Remote control




- Wood
- Hardware
- Acrylic
- 62inches

Speeds		1	2	3	4	5	6
Revolutions per minute		94	101	110	120	130	135
Volume		33	34	37	40	43	47
Motor Power		11.4	14.7	19.1	24.5	30.4	33

# Model:HSF-036ZD72C08



- Application areaMotor
- Speeds  
1 2 3 4 5 6
- 13°  
Maximum inclination
- 2h 4h  
Timing
- Night mode
- Wide angle air supply
- Forward and reverse
- Tricolor light
- Memory function
- Remote control



- 24W
- Wood
- Hardware
- Acrylic
- 72inches

Speeds		1	2	3	4	5	6
Revolutions per minute		80	89	98	106	116	131
Volume		33	34	37	40	43	47
Motor Power		9.8	13	17.8	24.5	30.3	46

# Model:HSF-078ZD72C08



Sand black(72inches )

Brushed Nickel Housing  
Reversible Blades:Charcoal/Light OAK





Oil tung color(72inches )

Brushed Nickel Housing  
Reversible Blades:Charcoal/Light OAK





Detail drawing



Speeds		1	2	3	4	5	6
Revolutions per minute		66	78	89	99	110	120
Volume		33	34	37	40	43	47
Motor Power		11.4	16.3	22.5	30.8	39.3	53.2

# Model:HSF-072ZD72C08











- Application area  
Motor
- Speeds  
1 2 3 4 5 6
- Maximum inclination  
13°
- Timing  
2h 4h
- Night mode
- Wide angle air supply
- Forward and reverse
- Tricolor light
- Memory function
- Remote control



- 24W
- Wood
- Hardware
- Acrylic
- 72inches





Speeds		1	2	3	4	5	6
Revolutions per minute		66	78	89	99	110	120
Volume		33	34	37	40	43	47
Motor Power		11.4	16.3	22.5	30.8	39.3	53.2

# Model:HSF-065AD52C03











-   
Application areaMotor
-   
Speeds
-   
Maximum inclination 13°
-   
Timing
-   
Night mode
-   
Wide angle air supply
-   
Forward and reverse
-   
Tricolor light
-   
Memory function
-   
Remote control



-  18W
-   
Wood
-   
Hardware
-   
Acrylic
-   
52inches





Speeds		1	2	3	4	5	6
Revolutions per minute		120	130	140	150	163	175
Volume		33	34	37	40	43	47
Motor Power		10.7	13.7	17.6	21.7	27.7	35.1

# Model:HSF-128AD52C03











-   
Application areaMotor
-   
Speeds 1 2 3 4 5 6
-   
Maximum inclination 13°
-   
Timing 2h 4h
-   
Night mode
-   
Wide angle air supply
-   
Forward and reverse
-   
Tricolor light
-   
Memory function
-   
Remote control



-  24W
-   
Wood
-   
Hardware
-   
Acrylic
-   
52inches





Speeds		1	2	3	4	5	6
Revolutions per minute		110	119	129	142	154	170
Volume		33	34	37	40	43	47
Motor Power		8.9	12.2	15	20.6	26.4	30

# Model:HSF-151AD46C03











-   
Application area  
Motor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum inclination  
13°
-   
Timing  
2h 4h
-   
Night mode
-   
Wide angle air supply
-   
Forward and reverse
-   
Tricolor light  
W N C
-   
Memory function
-   
Remote control



-  **24W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
46 inches





Speeds		1	2	3	4	5	6
Revolutions per minute		109	119	129	142	154	170
Volume		33	34	37	40	43	47
Motor Power		8.9	12.2	15	20.6	26.4	30

# Model:HSF-112ZD72C08











-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum  
inclination  
13°
-   
Timing  
2h 4h
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light
-   
Memory  
function
-   
Remote  
control



-  **24W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**72inches**





Speeds		1	2	3	4	5	6
Revolutions per minute		110	119	129	142	154	170
Volume		33	34	37	40	43	47
Motor Power		8.9	12.2	15	20.6	26.4	30

# Model:HSF-186AD52C03











-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum  
inclination  
13°
-   
Timing  
2h 4h
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light
-   
Memory  
function
-   
Remote  
control








-  **24W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**52inches**





Speeds		1	2	3	4	5	6
Revolutions per minute		110	119	129	142	154	170
Volume		33	34	37	40	43	47
Motor Power		8.9	12.2	15	20.6	26.4	30

# Model:HSF-135AD52C03











-   
Application areaMotor
-   
Speeds 1 2 3 4 5 6
-   
Maximum inclination 13°
-   
Timing 2h 4h
-   
Night mode
-   
Wide angle air supply
-   
Forward and reverse
-   
Tricolor light
-   
Memory function
-   
Remote control



-   
Wood
-   
Hardware
-   
Acrylic
-   
52inches





Speeds		1	2	3	4	5	6
Revolutions per minute		109	119	129	142	154	168
Volume		33	34	37	40	43	47
Motor Power		8.9	12.2	15	20.6	26.4	30

# Model:HSF-179ZD60C06











-   
Application area  
Motor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum inclination  
13°
-   
Timing  
2h 4h
-   
Night mode
-   
Wide angle air supply
-   
Forward and reverse
-   
Tricolor light
-   
Memory function
-   
Remote control



-  **24W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**52inches 60inches**





		1	2	3	4	5	6
Speeds							
Revolutions per minute		90	100	110	120	129	140
Volume		33	34	37	40	43	47
Motor Power		7.9	10.1	13.1	16.4	20.0	26.6

# Model:HSF-178ZD72C08

-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum  
inclination  
13°
-   
Timing  
2h | 4h
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light  
W | N | C
-   
Memory  
function
-   
Remote  
control



-  **24W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**72inches**

Speeds		1	2	3	4	5	6
Revolutions per minute		81	89	95	104	110	117
Volume		33	34	37	40	43	47
Motor Power		15.2	20.2	25.4	33.0	43.2	51.2

EXCELLENT QUALITY  
CO-CREATE THE FUTURE

## CONTACT US

---

Guang Dong HOSO lighting technology.ltd

地址:广东省中山市横栏镇中创云谷智能产业城w栋

building W,Zhong chuang yungu, Huan town North Road,henglan Town.Zhongshan City,Guang Dong

TEL/:18666180116 Wechat:PuHaiKangLED

Webi/:<https://hosolighting.en.alibaba.com/>

Email:sales001@hosolighting.cn