

# PRODUCT CATALOG

FAN LIGHT COLLECTION



## COMPANY INTRODUCTION

Guangdong Hongshuo Lighting Technology Co., Ltd. is located in Henglan Town, Zhongshan City, with a factory area of 20,000 square meters and over 300 employees. Integrating research and development, production, sales, and design, the company boasts high-quality talent, advanced production equipment, and a comprehensive management system. Its sales have been growing rapidly at a rate of over 30% annually.

# Production

## Workshop Scene



HOSO

FAN ASSEMBLY



HOSO

FAN ASSEMBLY



HOSO

AGING TEST



HOSO

MOTOR TESTING



HOSO

PACKAGING

# Business Qualification

























## Corporate Honors



# Technical Data

## ■ Data Analysis Services

### Icon data reference

|   |  |  |   |  |
|---|--|--|---|--|
|  Body material         |  Speeds         |  Forward and reverse     |  Wide angle air supply |  RGB                    |
|  360 degree air supply |  Timing         |  Maximum inclination 13° |  Ceiling installation  |  Easy to install        |
|  Retractable blades    |  Integrated LED |  Tricolor light          |  Night mode            |  Memory function        |
|  Application area      |  Fan diameter   |  Lighting                 |  Motor                 |  Revolutions per minute |
|  Decibels              |  Remote control |  Natural wood            |  Bluetooth             |  |

# INDEX



HSF-WS03  
P7



HSF-WS04  
P8



HSF-WS05  
P9



HSF-WS06  
P10



HSF-WS07  
P11



HSF-WS08  
P12



HSF-WS09  
P13



HSF-WS010  
P14



HSF-WS011  
P15



HSF-WS012  
P16



HSF-WS013  
P17



HSF-WS014  
P18



HSF-WS015  
P19



HSF-WS016  
P20



HSF-WS017  
P21



HSF-WS018  
P22



HSF-WS019  
P23



HSF-WS020  
P24



HSF-WS021  
P25



HSF-WS022  
P26



HSF-WS023  
P27




HSF-WS024  
P28




HSF-WS025  
P29



HSF-WS026  
P30



HSF-WS027  
P31



HSF-WS028  
P32



HSF-WS029  
P33



HSF-WS030  
P34













HSF-WS031  
P35







HSF-WS085  
P36

# Model:HSF-WS03











-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
13°  
Maximum  
inclination
-   
2h | 4h  
Timing
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light
-   
Memory  
function
-   
Remote  
control



-  **36W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**500mm**





|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS04











-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
13°  
Maximum  
inclination
-   
2h | 4h  
Timing
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light
-   
Memory  
function
-   
Remote  
control



-  **36W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**500mm**





|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS05











-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
13°  
Maximum  
inclination
-   
2h | 4h  
Timing
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light
-   
Memory  
function
-   
Remote  
control



-  **36W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
500mm





|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS06

-   
 Application  
areaMotor
-   
 1 2 3 4 5 6  
 Speeds
-   
 13°  
 Maximum  
inclination
-   
 2h | 4h  
 Timing
-   
 Night mode
-   
 Wide angle  
air supply
-   
 Forward and  
reverse
-   
 Tricolor light
-   
 Memory  
function
-   
 Remote  
control



-  **36W**
-   
 Wood
-   
 Hardware
-   
 Acrylic
-   
**500mm**


|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS07

  
Application  
areaMotor

  
Speeds  
1 2 3 4 5 6

  
13°  
Maximum  
inclination

  
2h | 4h  
Timing

  
Night mode

  
Wide angle  
air supply

  
Forward and  
reverse


  
Tricolor light

  
Memory  
function


  
Remote  
control







 36W

 Wood











 Hardware

 Acrylic

 500mm





|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS08

-   
 Application  
areaMotor
-   
 1 2 3 4 5 6  
 Speeds
-   
 13°  
 Maximum  
inclination
-   
 2h | 4h  
 Timing
-   
 Night mode
-   
 Wide angle  
air supply
-   
 Forward and  
reverse
-   
 W N G  
 Tricolor light
-   
 Memory  
function
-   
 Remote  
control



-  **36W**
-   
 Wood
-   
 Hardware
-   
 Acrylic
-   
 500mm


|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS09

  
Application  
areaMotor

  
Speeds  
1 2 3 4 5 6

  
Maximum  
inclination  
13°

  
Timing  
2h | 4h

  
Night mode

  
Wide angle  
air supply

  
Forward and  
reverse


  
Tricolor light

  
Memory  
function


  
Remote  
control







 36W

  
Wood











  
Hardware

  
Acrylic

  
500mm





|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS010











-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum  
inclination  
13°
-   
Timing  
2h | 4h
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light
-   
Memory  
function
-   
Remote  
control



-  **36W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**500mm**





|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS011











-   
Application  
areaMotor
-   
Speeds
-   
13°  
Maximum  
inclination
-   
2h | 4h  
Timing
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light
-   
Memory  
function
-   
Remote  
control



-  **36W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
500mm





|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS012










-   
 Application area  
Motor
-   
 1 2 3 4 5 6  
 Speeds
-   
 13°  
 Maximum inclination
-   
 2h | 4h  
 Timing
-   
 Night mode
-   
 Wide angle  
air supply
-   
 Forward and  
reverse
-   
 Tricolor light
-   
 Memory  
function
-   
 Remote  
control



-  **36W**
-   
 Wood
-   
 Hardware
-   
 Acrylic
-   
**500mm**





|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS013











-   
 Application  
areaMotor
-   
 1 2 3 4 5 6  
 Speeds
-   
 13°  
 Maximum  
inclination
-   
 2h | 4h  
 Timing
-   
 Night mode
-   
 Wide angle  
air supply
-   
 Forward and  
reverse
-   
 Tricolor light
-   
 Memory  
function
-   
 Remote  
control



-  **36W**
-   
 Wood
-   
 Hardware
-   
 Acrylic
-   
**500mm**





|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS014











-   
 Application areaMotor
-   
 1 2 3 4 5 6  
 Speeds
-   
 13°  
 Maximum inclination
-   
 2h | 4h  
 Timing
-   
 Night mode
-   
 Wide angle air supply
-   
 Forward and reverse
-   
 Tricolor light
-   
 Memory function
-   
 Remote control



-  **36W**
-   
 Wood
-   
 Hardware
-   
 Acrylic
-   
**500mm**





|                         |   | 1   | 2   | 3   | 4    | 5    | 6    |
|-------------------------|---|-----|-----|-----|------|------|------|
| Speeds                  |  |     |     |     |      |      |      |
| Air volume (Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                  |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power             |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS015











-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum  
inclination  
13°
-   
Timing  
2h | 4h
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light
-   
Memory  
function
-   
Remote  
control



-  **36W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**500mm**





|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS016











-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
13°  
Maximum  
inclination
-   
2h | 4h  
Timing
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light  
W G B
-   
Memory  
function
-   
Remote  
control



-  **36W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**500mm**





|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS017











-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum  
inclination  
13°
-   
Timing  
2h | 4h
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light
-   
Memory  
function
-   
Remote  
control



-  **36W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**500mm**





|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS018











-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
13°  
Maximum  
inclination
-   
2h | 4h  
Timing
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light
-   
Memory  
function
-   
Remote  
control



-  **36W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**500mm**





|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS019











-   
 Application areaMotor
-   
 Speeds
-   
 Maximum inclination 13°
-   
 Timing
-   
 Night mode
-   
 Wide angle air supply
-   
 Forward and reverse
-   
 Tricolor light
-   
 Memory function
-   
 Remote control



-  **36W**
-   
 Wood
-   
 Hardware
-   
 Acrylic
-   
**500mm**





|                         |   | 1   | 2   | 3   | 4    | 5    | 6    |
|-------------------------|---|-----|-----|-----|------|------|------|
| Speeds                  |  |     |     |     |      |      |      |
| Air volume (Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                  |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power             |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS020











-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum  
inclination  
13°
-   
Timing  
2h | 4h
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light
-   
Memory  
function
-   
Remote  
control



-  **36W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**500mm**





|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS021











-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum  
inclination  
13°
-   
Timing  
2h | 4h
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light
-   
Memory  
function
-   
Remote  
control



-  **36W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**500mm**





|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS022











-   
 Application area  
Motor
-   
 1 2 3 4 5 6  
 Speeds
-   
 13°  
 Maximum inclination
-   
 2h | 4h  
 Timing
-   
 Night mode
-   
 Wide angle  
air supply
-   
 Forward and  
reverse
-   
 Tricolor light
-   
 Memory  
function
-   
 Remote  
control



-  **36W**
-   
 Wood
-   
 Hardware
-   
 Acrylic
-   
**500mm**





|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS023











-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum  
inclination  
13°
-   
Timing  
2h | 4h
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light
-   
Memory  
function
-   
Remote  
control



-  **36W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**500mm**





|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS024











-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum  
inclination  
13°
-   
Timing  
2h | 4h
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light
-   
Memory  
function
-   
Remote  
control



-  **36W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
500mm





|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS025











-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum  
inclination  
13°
-   
Timing  
2h | 4h
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light
-   
Memory  
function
-   
Remote  
control





-  **36W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**500mm**





|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS026











-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum  
inclination  
13°
-   
Timing  
2h | 4h
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light
-   
Memory  
function
-   
Remote  
control



-  **36W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**500mm**





|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS027











-   
 Application areaMotor
-   
 Speeds
-   
 Maximum inclination  
**13°**
-   
 Timing  
 2h | 4h
-   
 Night mode
-   
 Wide angle air supply
-   
 Forward and reverse
-   
 Tricolor light
-   
 Memory function
-   
 Remote control



-  **36W**
-   
 Wood
-   
 Hardware
-   
 Acrylic
-   
**500mm**





|                         |   | 1   | 2   | 3   | 4    | 5    | 6    |
|-------------------------|---|-----|-----|-----|------|------|------|
| Speeds                  |  |     |     |     |      |      |      |
| Air volume (Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                  |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power             |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS028











-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum  
inclination  
13°
-   
Timing  
2h | 4h
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light
-   
Memory  
function
-   
Remote  
control



-  **36W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**500mm**





|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS029











-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum  
inclination  
13°
-   
Timing  
2h | 4h
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light  
W G N
-   
Memory  
function
-   
Remote  
control



-  **36W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**500mm**





|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS030











-   
 Application areaMotor
-   
 Speeds
-   
 13°  
 Maximum inclination
-   
 2h | 4h  
 Timing
-   
 Night mode
-   
 Wide angle air supply
-   
 Forward and reverse
-   
 Tricolor light
-   
 Memory function
-   
 Remote control



-  **36W**
-   
 Wood
-   
 Hardware
-   
 Acrylic
-   
**500mm**





|                         |   | 1   | 2   | 3   | 4    | 5    | 6    |
|-------------------------|---|-----|-----|-----|------|------|------|
| Speeds                  |  |     |     |     |      |      |      |
| Air volume (Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                  |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power             |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS031

-   
Application  
areaMotor
-   
Speeds  
1 2 3 4 5 6
-   
Maximum  
inclination  
13°
-   
Timing  
2h | 4h
-   
Night mode
-   
Wide angle  
air supply
-   
Forward and  
reverse
-   
Tricolor light
-   
Memory  
function
-   
Remote  
control



-  **36W**
-   
Wood
-   
Hardware
-   
Acrylic
-   
**500mm**


|                            |   | 1   | 2   | 3   | 4    | 5    | 6    |
|----------------------------|---|-----|-----|-----|------|------|------|
| Speeds                     |  |     |     |     |      |      |      |
| Air volume<br>(Adjustable) |  | 480 | 580 | 680 | 780  | 880  | 980  |
| Volume                     |  | 33  | 34  | 37  | 40   | 43   | 47   |
| Motor Power                |  | 4.6 | 6.2 | 8.2 | 10.3 | 14.6 | 17.8 |

# Model:HSF-WS085

  
Application  
areaMotor

  
Speeds  
1 2 3 4 5 6

  
Maximum  
inclination  
13°

  
Timing  
2h | 4h

  
Night mode

  
Wide angle  
air supply

  
Forward and  
reverse





  
Tricolor light  
W G N

  
Memory  
function

  
Remote  
control



 **36W**    Wood    Hardware    Acrylic    500mm

|                            |   | 1   | 2   | 3   | 4   | 5    | 6    |
|----------------------------|---|-----|-----|-----|-----|------|------|
| Speeds                     |  |     |     |     |     |      |      |
| Air volume<br>(Adjustable) |  | 497 | 596 | 695 | 796 | 893  | 1000 |
| Volume                     |  | 33  | 34  | 37  | 40  | 43   | 47   |
| Motor Power                |  | 3.3 | 4.7 | 6.5 | 9.3 | 12.6 | 16.6 |

EXCELLENT QUALITY  
CO-CREATE THE FUTURE

## CONTACT US

---

Guang Dong HOSO lighting technology.ltd

地址:广东省中山市横栏镇中创云谷智能产业城w栋

building W,Zhong chuang yungu, Huan town North Road,henglan Town.Zhongshan City,Guang Dong

TEL/:18666180116 Wechat:PuHaiKangLED

Webi/:<https://hosolighting.en.alibaba.com/>

Email:sales001@hosolighting.cn